STATE OF WASHINGTON DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

X	Surface Water	(Issued in accordance the Department of Eco	with the provision plogy.)	s of Chapter 117, La	ws of Washington for 1917, and	d amendments thereto	o, and the rules and regulations of	
	Ground Water	(Issued in accordance the Department of Eco		s of Chapter 263, La	ws of Washington for 1945, and	d amendments thereto	o, and the rules and regulations of	
PRIORITY DATE October 20, 1992				PERMIT NUMBER S2-28642		CERTIFICATE NUMBER		
October 20, 1992	132-			32-20042				
NAME Richard Rhodes						-		
ADDRESS (STREET) 421 East Loretta	H21 East Loretta Place Seattle		(STATE) Washington			(ZIP CODE) 98102-9999		
The applicant is, pursu the following described herein.								
		PUBLIC	WATERS 1	O BE APPE	OPRIATED			
SOURCE Rainwater							*	
TRIBUTARY OF (IF SURFACE WA Hood Canal	TERS)							
MAXIMUM CUBIC FEET PER SEC .03			LLONS PER MINU	JTE	0.25	MAXIMUM ACRE-FEET PER YEAR 0.25		
QUANTITY, TYPE OF USE, PERIOD OF USE 0.25 acre-feet per year Mult		Multipl	e domesti	ic supply	Year-r	Year-round, as needed		
		LOCATIO	ON OF DIV	EBSION/WIT	THORAWAI			
APPROXIMATE LOCATION OF DIV				ERSION/WIT	Name a Resolution		· · · · · · · · · · · · · · · · · · ·	
1,100 feet south a	na 900 feet w	est of the ea	ast quarte	r corner of	Section 33.			
LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) $NE^{1}\!\!/4SE^{1}\!\!/4$		SECTION 35	TOWNSHIP N.	RANGE, (E. OR W.) W.M. 3 W	W.R.I.A.	Mason		
		REC		ATTED PRO				
LOT	BLOCK		OF (G	IVE NAME OF PLAT	OR ADDITION)			
	LEGAL DES	CRIPTION OF	E DROPER	TY ON WHI	TH WATER IS TO	RE USED		

PARCEL 1

Lots 1-4, Inclusive, of Short Plat No. 671 recorded December 7, 1979 under Auditor's File No. 370671; being a portion of the northeast quarter of the southeast quarter of Section 35, T. 22 N., R. 3 W.W.M., in Mason County, Washington.

PARCEL 2

TOGETHER WITH and SUBJECT TO an easement for purposes of Ingress, egress, drainage and utilities over, under and across a strip of land described in that certain instrument recorded under Mason County Auditor's File No. 306672.

			11100110
DEGLOIDE		PROPOSED	WINDE
DESCRIPTI	DIA OL	PHOPUSED	II Unks

Four rainwater collection surfaces with a total surface area of approximately 1,850 square feet, two	1,000 gallon
cisterns, a one horsepower pump, and 11/2" distribution lines.	

At such time that the Department of Ecology determines the regulation and management of the subject waters is necessary and in the public interest, an approved measuring device shall be installed and maintained in accordance with RCW 90.03.360 and WAC 508-64-020 through -040.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

	Given under m	y hand and the sea	l of this offi	ce at Olympia,	Washington,
this 7th	day of	June	, 19	94	(2)
		Mary	Riveland,	Director	

ENGINEERING DATA

by Jale Blonistin

Department of Ecology